

Kuefler, Patrick

From: Bajor, John
Sent: Thursday, March 02, 2017 9:43 AM
To: Kuefler, Patrick; Bahr, Ryan
Subject: Jeffersonville / today's call from Deborah Klassman.

Pat/Ryan:

I spoke with Deborah Klassman as requested.

She had a call from Clarksville, Indiana, a neighboring community of Jeffersonville who is inquiring about Jeffersonville's request for a modification (10-year extension) to their LTCP.

She asked if we were aware of this and I responded that we are awaiting Jeffersonville's response to our certified letter sent November 28, 2016 requesting additional information in support of the modification request.

I also advised her that the last we heard from IDEM and the City we were informed that the City has gone to another attorney and no new correspondence has been received by either IDEM (as checked) or EPA.

We are awaiting: 1) a revised FCA aligned with the 10 year extension as proposed by the City, 2) to be informed if the City is anticipating a change in the level of controls, and 3) a detailed description of the projects or schedule changes proposed including more information on the estimated \$15 million cost of the required additional treatment of phosphorus as required in their new NPDES Permit.

John "Jack" J. Bajor, Jr.
Enforcement Officer/Environmental Engineer
Water Division
Water Enforcement and Compliance Assurance
USEPA, Region 5
WC-15J; #Exemption 2
77 West Jackson Boulevard
Chicago, Illinois 60604-3590
Phone: (312) 353-4633
FAX: (312) 886-6090
Email: bajor.john@epa.gov

